

Nilfisk Professional Steamers

Nilfisk Steam Cleaners



Professional Steam Cleaners



The Nilfisk range of steam cleaners cover a wide range of applications in many segments and provide the benefit of efficient cleaning and sanitisation with only consumption of water and chemicals.

Steam cleaning will help to maintain a clean and sanitary environment. This will prevent the spread of contagious diseases so common in schools, nurseries and care homes.

Restaurants are particularly vulnerable to spills, stains, and grease. Steam cleaning can help maintain a cleaner more sanitary working environment.


Steam cleaning can help reduce the spread of bacteria and viruses common in veterinary practices. Cleanliness and sanitation are extremely important in any clinic. Dry steam cleaning will help you and your staff maintain the high standards you demand with less effort and better results and without the use of harsh or irritating chemicals.



Steam cleaning will allow you to valet a car in half the time with visibly superior results. Not only will your time spent valeting cars be cut in half, but also your spending on chemical cleaners will be greatly reduced. Steam cleaning leaves surfaces virtually dry as soon as the cleaning is completed. Upholstery and floor mats are dry within minutes. Not only is the cleaning faster, but the car is deodorised as well.

Dry steam cleaning will save time and money and has a wide variety of applications in the hotel, pub and guesthouse industries. Cleaning chores such as lobby floors or pool grout, that used to be a major undertaking, can now be completed more efficiently. Steam cleaning will save time and reduce labour and chemical costs.

Hospital and Nursing Home administrators love steam-cleaning systems. Keeping patient and visitor areas clean, sanitary and odour free has never been easier. Steam effectively cleans areas that other methods cannot, and without the use of toxic, noxious or irritating chemicals.



Some of the benefits of steam cleaning

- Dry steam cleaning reaches into the tiniest cracks and crevices and drives dirt and germs from areas other cleaning methods cannot reach.
- Removes baked on grease from stoves, ovens, range hoods and fryers.
- Kills and removes mould, mildew, fungus and bacteria and the odours that they cause.
- Restroom fixtures, counters and sinks have never been cleaner. Cleans and sanitises in one easy step for a healthier environment.
- Tiles and grouting, showers, bathtubs and floors are spotless. Removes soap scum, hard water scale and stains better than other methods in less time, with less effort and no noxious chemicals.
- Cleans blinds, curtains and draperies in place.
- Cleans wax build-up from floors.
- Carpets are deep cleaned, sanitised and deodorised. Improves the look of carpets and rugs by raising the pile and removing stains.
- Remove dust, dirt and grease from walls and ceilings with ease.
- Floors of all types are cleaned as easily as using a vacuum cleaner; build-up is removed and looks restored.
- Polishes stainless steel surfaces of all kinds, chrome fixtures, cabinet hardware and handles while cleaning and sanitising.



- Refrigerators, coolers and freezers can be easily de-frosted, cleaned and sanitised. Even hard to clean gaskets and textured surfaces. Dirt and stains simply melt away.
- Ovens, stove tops and fryers are left grease free, sanitised and sparkling.
- Office furniture, filing cabinets, desk tops and more are quickly and easily dusted and cleaned in one easy step with no chemicals and much less effort.



The SO range

- Steam only



SO4500

The SO4500 is a 4.5 bar pressure steam only cleaning system. Designed for light / medium soiled areas. It is lightweight and uniquely designed in powder coated steel, with a continuous fill boiler, allowing refill at any time during operation. This machine is ideally suited for all sectors of industry and commerce where vacuum recovery is not required.


SO4500

- Steam at temperatures up to 170°C and 4 bar pressure
- Continuous fill
- Steam control switch on handle
- Silent running
- Wide range of cleaning applications
- Steel construction
- Automatic safety shut off
- Clear pressure display
- Wide range of accessories included
- Simple operator controls
- Light weight and highly manoeuvrable
- Locking front castors

Steam Only.

The SO range is ideal for applications where only steam cleaning with no water pick-up is needed. Cleaned areas can be left to dry and chemicals are not needed for additional sanitisation effects.

Maximum continuous hours of usage per 12hrs.



Description	Unit	SO4500
Steam pressure	bar	4.5
Vacuum		No
Chemical		No
Water reserve	l	5
Boiler capacity	l	1.8
Weight	kg	12
Standard equipment		
Hose	m	4
Extension tube x 2		•
Triangular brush		•
Floor brush		•
Window squeegee		•
Detail brush nozzle		•
Curved steam lance		•
Long steam lance		•
55 mm brush		•
5 x brass and nylon detail brushes		•
Item no.		45000000

The SV range

- Steam + vacuum



SV8000


The SV8000 is ideal for cleaning in situations when chemical is not required. Using steam and vacuum together will leave surfaces sanitised and dry. With its compact size and swivel wheels it becomes highly manoeuvrable and user friendly.

SV8000

- Steam at temperatures up to 170°C and 8 bar pressure
- Removable waste tank with locking lid
- Continuous fill
- Steam control switch on handle
- Silent running
- Wide range of cleaning applications
- Wet pick up recovery facility
- Stainless steel construction
- Automatic safety shut off
- Clear pressure display
- Wide range of accessories included
- Simple operator controls
- Highly manoeuvrable

Steam + vacuum.

The SV range provides the benefits of steam cleaning with the added drying effect of a vacuum pick-up. Cleaned areas are thus ready for use again in a shorter time.



Description	Unit	SV8000
Steam pressure	bar	8
Vacuum		Yes
Chemical		No
Water reserve	l	5
Boiler capacity	l	3.3
Weight	kg	35
Standard equipment		
Hose	m	4
Long and short steam lance		•
Upholstery tool		•
Extension tube x 2		•
300 mm steam and vacuum nozzle inc. brush and squeegee attachment		•
150 mm steam and vacuum nozzle inc. brush and squeegee attachment		•
250 mm glass washer		•
5 x brass and nylon detail brushes		•
Item no.		45000002

The SDV range

- Steam, detergent and vacuum



SDV4500


This commercial 4.5 bar pressure steam cleaning machine is made from a stainless steel construction body. This machine is ideally suited for small cleaning tasks and lighter usage eg. less than 6 hours per day. The SDV4500 is environmentally friendly and has been certified in killing many super bugs including MRSA.

SDV4500

- Steam at temperatures up to 170°C and 4 bar pressure
- Detergent delivery
- Removable waste tank recovery facility
- Continuous fill
- Steam control switch on handle
- Silent running
- Wide range of cleaning applications
- Wet pick up recovery facility
- Automatic safety shut off
- Clear pressure display
- Wide range of accessories included
- Simple operator controls
- Highly manoeuvrable
- Highly efficient chewing gum remover
- Optional steam only tool kit

Steam + Detergent + Vacuum.

The SDV lines offer detergent injection in addition to the normal steam cleaning effect – useful for incrustated stains or for additional sanitisation effect. The vacuum pick-up ensures that cleaned areas are quickly ready for re-use.



Description	Unit	SDV4500
Steam pressure	bar	4.5
Vacuum		Yes
Chemical		2.5
Water reserve	l	2.5
Boiler capacity	l	1.3
Weight	kg	25
Standard equipment		
Hose	m	2.5
Long and short steam lance		•
Upholstery tool		•
Extension tube x 2		•
300 mm steam and vacuum nozzle inc. brush and squeegee attachment		•
150 mm steam and vacuum nozzle inc. brush and squeegee attachment		•
250 mm glass washer		•
5 x brass and nylon detail brushes		•
Item no.		45000004

The SDV range

- Steam, detergent and vacuum



SDV8000


This powerful 8 bar commercial steam cleaning machine is made from a stainless steel construction for extra durability and high performance. With its integral vacuum system, steam cleaning becomes highly efficient leaving the surfaces clean and dry. The SDV8000 is environmentally friendly and has been certified in killing many super bugs including MRSA.

SDV8000

- Steam at temperatures up to 170°C and 8 bar pressure
- Detergent delivery
- Removable waste tank recovery facility
- Continuous fill
- Steam control switch on handle
- Silent running
- Wide range of cleaning applications
- Wet pick up recovery facility
- Automatic safety shut off
- Clear pressure display
- Wide range of accessories included
- Simple operator controls
- Highly manoeuvrable
- Highly efficient chewing gum remover
- Optional steam only tool kit



Maximum continuous hours of usage per 12hrs.



Description	Unit	SDV8000
Steam pressure	bar	8
Vacuum		Yes
Chemical		2.5
Water reserve	l	5
Boiler capacity	l	3.3
Weight	kg	35
Standard equipment		
Hose	m	4
Long and short steam lance		•
Upholstery tool		•
Extension tube x 2		•
400 mm floor brush inc. carpet, squeegee and brush attachment		•
150 mm steam and vacuum nozzle inc. brush and squeegee attachment		•
250 mm glass washer		•
5 x brass and nylon detail brushes		•
Item no.		45000006

The MD range


- Steam, detergent + vaccum facility



MD4500

This 4.5 bar medical steam cleaning machine has been designed and built specifically for the health industry. Made from powder coated mild steel. This machine is durable, lightweight and compact. With its integral vacuum system, steam cleaning becomes highly efficient leaving surfaces clean and dry. The MD4500 is environmentally friendly and has been certified in killing many super bugs including MRSA.

Maximum continuous hours of usage per 12hrs.



Steam + Detergent + Vacuum Facility.

The MD range was developed together with customers in the hospital and nursing home sector to respond to needs for powerful, yet compact products that assure a healthy environment. The MD range is complete with steam, detergent application and vacuum. The products have been tested in laboratories and kill up to 99,9% of MRSA and clostridium difficile. They also kill other bacteria and germs such as salmonella, listeria.

Description	Unit	MD4500
Steam pressure	bar	4.5
Vacuum		Yes
Chemical		2.5
Water reserve	l	5
Boiler capacity	l	1.8
Weight	kg	25
Standard equipment		
Hose	m	2.5
Extension tube x 2		•
300 mm floor brush		•
300 mm brush insert		•
300 mm squeegee insert		•
300 mm carpet insert		•
Upholstery tool		•
Nylon & brass detail brushes		•
150 mm steam and vac nozzle		•
150 mm brush attachment		•
150 mm squeegee insert		•
Crevice tool		•
Short and long steam lance		•
Steam vacuum nozzle		•
95 mm triangular brush		•
250 mm glass washer		•
Ice scraper		•
Item no.		45000010

The MD range

- Steam, detergent + vacuum facility




MD8000

This is a powerful 8 bar medical steam cleaning machine and has been designed and built specifically for the health industry. Made from powder coated mild steel. This machine is durable, lightweight and compact. With its integral vacuum system, steam cleaning becomes highly efficient leaving surfaces clean and dry. The MD8000 is environmentally friendly and has been certified in killing many super bugs including MRSA.



Maximum continuous hours of usage per 12hrs.



Description	Unit	MD8000
Steam pressure	bar	8
Vacuum		Yes
Chemical		2.5
Water reserve	l	5
Boiler capacity	l	3.3
Weight	kg	35
Standard equipment		
Hose	m	4
Extension tube x 2		•
400 mm floor brush		•
400 mm brush insert		•
400 mm squeegee insert		•
400 mm carpet insert		•
Upholstery tool		•
Nylon & brass detail brushes		•
150 mm steam and vac nozzle		•
150 mm brush attachment		•
150 mm squeegee insert		•
Crevice tool		•
Short and long steam lance		•
Steam vacuum nozzle		•
95 mm triangular brush		•
250 mm glass washer		•
Ice scraper		•
Item no.		45000012

The GR range

- Chewing gum removal



GR8000

The GR8000 is a commercial / industrial 240 volt chewing gum removal system. Incorporating an 8 bar steam boiler, with an integrated chemical delivery system. Made from highly durable stainless steel construction. The unit is fitted with a continuous fill boiler, allowing refill at any time during operation. The GR8000 is ideally suited for chewing gum removal in large areas; i.e. shopping centres, sports stadiums and local authority venues.


GR8000

- Steam at temperatures up to 175°C
- Up to 8 bar pressure
- Detergent delivery
- Continuous fill
- Steam control switch on handle
- Stainless steel construction
- Automatic safety shut off
- Clear pressure display
- Wide range of accessories included
- Simple operator controls
- Highly manoeuvrable
- Highly efficient chewing gum remover

Chewing gum removal system.

The GR range is conceived for outdoor use in chewing gum removal with steam and detergent functions. The GR line enables quick removal of even old chewing gum from pavements, car parks and restaurant forecourts.

Maximum continuous hours of usage per 12hrs.



Description	Unit	GR8000
Steam pressure	bar	8
Vacuum		No
Chemical		5
Water reserve	l	5
Boiler capacity	l	3.3
Weight	kg	29
Standard equipment		
Hose	m	4
Extension tube x 2		•
Floor brush		•
Triangular brush		•
Large brush elbow		•
Window squeegee		•
Long steam lance		•
Curved steam nozzle		•
Detail brush nozzle		•
5 x brass and nylon brushes		•
55 mm round brush		•
Item no.		45000008


Chewing gum removal

With our professional steam cleaners you can remove chewing gum from almost any surface from block paving, asphalt, concrete, natural stone, metal, wood, carpet, entrance mats and many more materials.

Our method of chewing gum removal is to use super heated steam at 175°C delivered at 8 bar pressure, using 25 l of water per machine in 8 hours continuous use, also injecting a biodegradable, non-caustic detergent on to the chewing gum to dissolve the gum to a fine non sticky powder that sweeps or vacuums up when dry.

The chewing gum is heated with super heated steam and at the same time the detergent is injected onto the chewing gum whilst agitating the gum with a wire (on hard surfaces) or nylon (on soft surface or carpet) brush. This dissolves the chewing gum in about 3 to 6 seconds per piece.

After removing the chewing gum, where necessary we sweep the surface and then leave to dry naturally, this will leave a clean spot from where the gum as been removed and this will blend in within days, depending on the pedestrian flow and the weather.



Accessories

- Optional accessory
- Standard accessory



2,5 m hose for steam, vac and detergent

SO45000
SV8000
SDV4500
SDV8000
MD4500
MD8000
GR8000

○ ● ○ ● ○

Item no.
45000030



4 m hose for steam, vac and detergent

● ○ ● ○ ●

45000045



4 m hose, steam only

● ○ ●

45000056



Extension tube for steam + vac

● ● ● ● ● ● ●

45000031



300 mm floor brush nozzle

○ ● ○ ● ○

45000032



300 mm brush insert

○ ● ○ ● ○

45000033



300 mm squeegee insert

○ ● ○ ● ○

45000034



300 mm carpet insert

○ ● ○ ● ○

45000035



250 mm glass washer

● ● ● ● ●

45000036



Round stainless steel detail
brush (pack of 10)

○ ○ ○ ○ ○

45000038






Accessories

- Optional accessory
- Standard accessory

	SO45000	SV8000	SDV4500	SDV8000	MD4500	MD8000	GR8000	
 <p>Round polyester detail brush (pack of 10)</p>		○	○	○	○	○		Item no. 45000039
 <p>Round brass detail brush (pack of 10)</p>		○	○	○	○	○		45000040
 <p>Upholstery suction tool</p>		●	●	●	●	●		45000037
 <p>400 mm floor brush nozzle</p>		●	○	●	○	●		45000041
 <p>400 mm brush insert</p>		●	○	●	○	●		45000042
 <p>400 mm squeegee insert</p>		●	○	●	○	●		45000043
 <p>400 mm carpet insert</p>		●	○	●	○	●		45000044
 <p>150 mm steam and vacuum nozzle</p>		●	●	●	●	●		45000046
 <p>150 mm steam and vacuum brush attachment</p>		●	●	●	●	●		45000047
 <p>150 mm steam and vacuum squeegee attachment</p>		●	●	●	●	●		45000048

Accessories

- Optional accessory
- Standard accessory

	SO45000	SV8000	SDV4500	SDV8000	MD4500	MD8000	GR8000	Item no.
		●	●	●	●	●		45000050
		●	●	●	●	●		45000051
		○	○	○	○	○		45000052
		○	○	○	○	○		45000053
		○	○	○	○	○		45000054
		○	○	○	○	○		45000055
	●						●	45000057
	●						●	45000058
	●						●	45000059

Accessories

- Optional accessory
- Standard accessory



Large brush elbow, steam only

SO4500
SV8000
SDV4500
SDV8000
MD4500
MD8000
GR8000

Item no.
45000060



Window squeegee, steam only

45000061



Long steam nozzle, steam only

45000062



Curved steam nozzle, steam only

45000063



Detail brush nozzle - steam only

45000064



Nylon detail brush x 10, steam only

45000065



Brass detail brush x 10, steam only

45000066

Stainless steel detail brush x 10,
steam only

45000067



Chewing Gum Remover
Concentrate 4 x 5 l

45000068

Chewing Gum Remover Ready to
Use 4 x 5 l

45000069

The professional steam cleaner range



96028320-03/10